

```

library(AER)
data(mroz, package='wooldridge')
oursample <- subset(mroz,!is.na(wage))
HRO <- lm(hours~log(wage)+educ+age+kidslt6+nwifeinc, data=oursample)
Wage0 <- lm(log(wage)~hours+educ+exper+I(exper^2), data=oursample)

# 2SLS regressions
HR <- ivreg(hours~log(wage)+educ+age+kidslt6+nwifeinc
| educ+age+kidslt6+nwifeinc+exper+I(exper^2), data=oursample)
Wage <- ivreg(log(wage)~hours+educ+exper+I(exper^2)
| educ+age+kidslt6+nwifeinc+exper+I(exper^2), data=oursample)

library(systemfit)
# Define system of equations and instruments
eq.hrs   <- hours      ~ log(wage)+educ+age+kidslt6+nwifeinc
eq.wage  <- log(wage)~ hours      +educ+exper+I(exper^2)
eq.system<- list(eq.hrs, eq.wage)
instrum  <- ~educ+age+kidslt6+nwifeinc+exper+I(exper^2)

# 2SLS of whole system (run Example-16-5-systemfit-prep.R first!)
SEM <- systemfit(eq.system,inst=instrum,data=oursample,method="2SLS")

```

```

> library(AER)
> data(mroz, package='wooldridge')
> oursample <- subset(mroz,!is.na(wage))
> HRO <- lm(hours~log(wage)+educ+age+kidslt6+nwifeinc, data=oursample)
> Wage0 <- lm(log(wage)~hours+educ+exper+I(exper^2), data=oursample)
> # 2SLS regressions
> HR <- ivreg(hours~log(wage)+educ+age+kidslt6+nwifeinc
+           | educ+age+kidslt6+nwifeinc+exper+I(exper^2), data=oursample)
> Wage <- ivreg(log(wage)~hours+educ+exper+I(exper^2)
+           | educ+age+kidslt6+nwifeinc+exper+I(exper^2), data=oursample)
> library(systemfit)
> # Define system of equations and instruments
> eq.hrs   <- hours      ~ log(wage)+educ+age+kidslt6+nwifeinc
> eq.wage  <- log(wage)~ hours      +educ+exper+I(exper^2)
> eq.system<- list(eq.hrs, eq.wage)
> instrum  <- ~educ+age+kidslt6+nwifeinc+exper+I(exper^2)
> # 2SLS of whole system (run Example-16-5-systemfit-prep.R first!)
> SEM <- systemfit(eq.system,inst=instrum,data=oursample,method="2SLS")
> |

```

```
library(stargazer)
stargazer(HR0,Wage0,HR,Wage,type="text",keep.stat=c("n","rsq"))
```

Dependent variable:				
	hours OLS (1)	log(wage) OLS (2)	hours instrumental variable (3)	log(wage) instrumental variable (4)
log(wage)	-2.047 (54.880)		1,639.556*** (470.576)	
hours		-0.0001 (0.00004)		0.0001 (0.0003)
educ	-6.622 (18.116)	0.106*** (0.014)	-183.751*** (59.100)	0.110*** (0.016)
age	0.562 (5.140)		-7.806 (9.378)	
kidslt6	-328.858*** (101.457)		-198.154 (182.929)	
nwifeinc	-5.918 (3.683)		-10.170 (6.615)	
exper		0.045*** (0.013)		0.035* (0.019)
I(exper2)		-0.001** (0.0004)		-0.001 (0.0005)
Constant	1,523.775*** (305.575)	-0.462** (0.204)	2,225.662*** (574.564)	-0.656* (0.338)
Observations	428	428	428	428
R2	0.036	0.160	-2.008	0.126

Note: *p<0.1; **p<0.05; ***p<0.01

```
summary(SEM)
```

```
> summary(SEM)

systemfit results
method: 2SLS

      N   DF      SSR  detRCov   OLS-R2  McElroy-R2
system 856 845 773893309  155089 -2.00762    0.748802

      N   DF      SSR        MSE       RMSE        R2     Adj R2
eq1 428 422 7.73893e+08 1.83387e+06 1354.204541 -2.007617 -2.043253
eq2 428 423 1.95266e+02 4.61621e-01    0.679427  0.125654  0.117385

The covariance matrix of the residuals
      eq1      eq2
eq1 1833869.938 -831.542690
eq2 -831.543    0.461621

The correlations of the residuals
      eq1      eq2
eq1 1.000000 -0.903769
eq2 -0.903769 1.000000

2SLS estimates for 'eq1' (equation 1)
Model Formula: hours ~ log(wage) + educ + age + kidslt6 + nwifeinc
Instruments: ~educ + age + kidslt6 + nwifeinc + exper + I(exper^2)

      Estimate Std. Error t value Pr(>|t|)
(Intercept) 2225.66182 574.56412 3.87365 0.00012424 ***
log(wage)   1639.55561 470.57568 3.48415 0.00054535 ***
educ        -183.75128  59.09981 -3.10917 0.00200323 **
age         -7.80609   9.37801 -0.83238 0.40566404
kidslt6    -198.15429 182.92914 -1.08323 0.27932497
nwifeinc   -10.16959   6.61474 -1.53741 0.12494167
---
Signif. codes: 0 '****' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 1354.204541 on 422 degrees of freedom
Number of observations: 428 Degrees of Freedom: 422
SSR: 773893113.843842 MSE: 1833869.938019 Root MSE: 1354.204541
Multiple R-Squared: -2.007617 Adjusted R-Squared: -2.043253

2SLS estimates for 'eq2' (equation 2)
Model Formula: log(wage) ~ hours + educ + exper + I(exper^2)
Instruments: ~educ + age + kidslt6 + nwifeinc + exper + I(exper^2)

      Estimate Std. Error t value Pr(>|t|)
(Intercept) -0.655725440 0.337788292 -1.94123 0.052894 .
hours        0.000125900 0.000254611  0.49448 0.621223
educ        0.110330004 0.015524358  7.10690 5.0768e-12 ***
exper       0.034582356 0.019491555  1.77422 0.076746 .
I(exper^2)  -0.000705769 0.000454080 -1.55428 0.120865
---
Signif. codes: 0 '****' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Residual standard error: 0.679427 on 423 degrees of freedom
Number of observations: 428 Degrees of Freedom: 423
SSR: 195.26556 MSE: 0.461621 Root MSE: 0.679427
Multiple R-Squared: 0.125654 Adjusted R-Squared: 0.117385
```